524 Rec'd PCT/PTO 1 9 NOV 1999

**	324 H	iccuronifically how layy
FORM PTO-1399 U.S. DEI (REV. 1-98)	PARTMENT OF COMMERCE PATENT AND TRADEMARK OFFICE	ATTORNEY'S DOCKET NUMBER
TRANSMITTAL LETTER 7	TO THE UNITED STATES	033 140 DCM
DESIGNATED/ELECTE		933-149PCT U.S. APPLICATION NO. (If known, see 37 CFR 1.5)
CONCERNING A FILING		·
		09/42年980
INTERNATIONAL APPLICATION NO.	INTERNATIONAL FILING DATE	PRIORITY DATE CLAIMED
PCT/FI98/00418	18 May 1998	19 May 1997
TITLE OF INVENTION	10 Hay 1990	19 May 1991
COMPOSITIONS FOR ENHA	ANCING IMMUNOSUPPRESSANTS PHARM	ACEUTICAL ACTIVITIES
APPLICANT(S) FOR DO/EO/US		
ZAVIALOV, Vladimir Petrovich;	VASILENKO, Raisa Nikolaevna; D	mitry Aleksandrovich DOLGIKH;
Applicant horowith submits to the United States	vich; NAVOLOTSKAYA, Elena Vital	ievna; KORPELA, Timo Kalevi
Applicant herewith submits to the United States	designated/Elected Office (DO/EO/OS) the following	owing items and other information:
1. This is a FIRST submission of items conce	erning a filing under 35 U.S.C. 371.	
2. This is a SECOND or SUBSEQUENT sul	bmission of items concerning a filing under 35 U.S.	.C. 371.
	examination procedures (35 U.S.C. 371(f)) at	· · · · · · · · · · · · · · · · · · ·
	applicable time limit set in 35 U.S.C. 371(b)	·
	eliminary Examination was made by the 19 th n	
=	n as filed (35 U.S.C. 371(c)(2)) (Appln. encl.	
	ed only if not transmitted by the International 1	·
<u> </u>		Bureau).
		CC (DO/IIC)
	on was filed in the United States Receiving Of	ince (RO/OS).
	lication into English (35 U.S.C. 371(c)(3)).	
	rnational Application under PCT Article 19 (3	¥.
a. are transmitted herewith (requi	red only if not transmitted by the International	l Bureau).
b. have been transmitted by the Ir	nternational Bureau.	
	the time limit for making such amendments ha	as NOT expired.
d. Nave not been made and will no	ot be made.	
the same of the sa	ne claims under PCT Article 19 (35 U.S.C. 37	1(c)(3)).
9. An oath or declaration of the inventor		
: 	ternational Preliminary Examination Report u	nder PCT Article 36
**************************************	ternational Freminiary Examination Report u	nder I CT Article 30
(35 U.S.C. 371(c)(5)).		
Items 11. to 16. below concern document(s)	or information included:	
11 N A 1 C	4 day 27 CED 1 07 and 1 00	
11. An Information Disclosure Statement	t under 37 CFR 1.97 and 1.98.	
12 An assignment decomment for recording	ng. A separate cover sheet in compliance with	27 CED 2 28 and 2 21 is included
12. An assignment document for recording	ng. A separate cover sheet in comphance with	57 CFR 5.28 and 5.51 is included.
13. A FIRST preliminary amendment.		
A SECOND or SUBSEQUENT preli	iminary amendment	
A SECOND OF SUBSEQUENT PIER	inimaly amendment.	
14. A substitute specification.		
A substitute specification.		
15. A change of power of attorney and/or	r address letter	
11 change of power of attorney and of	a dad obb ionor.	
16. Other items or information:		
<u></u>		l
	ination Report (PCT/IPEA/409) w/Amended (Claims
2.) Six (6) Sheets of Formal Drawin	ngs	
		l

420 Rec'd PCT/PTO 1 9 NOV 1999

U.S. APPLICATION NO (1f known, see 3'	CFRUS	INTERNATIONAL APPLICATION NO				ATTORNEY'S DOCK	KET NUMBER
U7 /™	WZ4U0U	PCT/F	(98/00418			933	3-149PCT
17. The following fee	s are submitted:				CAL	CULATIONS	PTO USE ONLY
BASIC NATIONAL		(a)(1)-(5):				**	
		ion fee (37 CFR 1.482)					
		(a)(2)) paid to USPTO					
and International Sea	rch Report not prepar	ed by the EPO or JPO		. \$970 . 00			
		•					
		37 CFR 1.482) not paid to					
USPTO but Internation	onal Search Report pre	epared by the EPO or JPO.		\$840.00			
		37 CFR 1.482) not paid to		A# < 0 00			
out international searc	cn tee (3 / CFR 1.445)	(a)(2)) paid to USPTO	• • • • • • •	. \$760.00			
International prelimin	ary avamination fact	37 CFR 1.482) paid to US	DT()				
		PCT Article 33(1)-(4)		. \$670.00			
out an olamis ala not	sunsty provisions of i	(4)		. \$670.00			
International prelimin	ary examination fee (37 CFR 1.482) paid to USI	PTO				
		Article 33(1)-(4)		. \$96.00	•	070.00	
		BASIC FÉE AMOU			\$	970.00	
		n or declaration later than	20	⊠ 30			
months from the earlie	•			Ø 30	\$	130.00	
			TDA	RATE			
CLAIMS	NUMBER FILI	ED NUMBER EX	IKA _		Φ.		
Total Claims	4 - 20 =			X \$18.00	\$		
Independent Claims	1 - 3 =			X \$78.00	\$		
MULTIPLE DEPEND	DENT CLAIM(S) (if a	pplicable) Yes		+ \$260.00	\$	260.00	
=======================================	T	OTAL OF ABOVE CA	LCULA	TIONS =	\$	1360.00	
	ing by small entity, if	applicable. Verified Small	Entity sta	atement	\$		
must also be filed (No			<u>-</u>		3		
			SUB	FOTAL =	\$	1360.00	
Processing fee of \$130	0.00 for furnishing the	English translation later th	nan 🗌]20	\$		
months from the earlie	est claimed priority da	te (37 CFR 1.492(f)).		+	9		
5		TOTAL NA	ATIONA	AL FEE =	\$	1360.00	
		37 CFR 1.21(h)). The assi			\$		
accompanied by an ap	propriate cover sheet	(37 CFR 3.28, 3.31). \$40.0					
		TOTAL FEI	ES ENC	LOSED =	\$	1360.00	
					A	mount to be:	\$
						refunded	
						charged	\$
a 🔯 A check in the	mount of \$ 1360 0	0 to cover the above fees is	analonad	1			
a. M A check in the a	amount of \$	o to cover the above fees is	enclosed	1.			
b. Please charge n	ny Deposit Account. N	No in the am	ount of S	s to c	over tl	ne above fees.	
A duplicate cor	by of this sheet is encl	osed.					
	•						
c. X The Commission	ner is hereby authoriz	ed to charge any additiona	l fees wh	ich may be re	quired,	or credit any	
overpayment to	Deposit Account No	. <u>02-2448</u> .					
				_			
		nit under 37 CFR 1.494 o				petition to rev	rive (37 CFR
1.13/(a) or (b)) mu	ist de illea and grant	ted to restore the applicat	ion to pe	naing status.	1	1 1	
Send all correspondence t	0:			1	/	- 11-11 :	学27 (ノ ル)
	lasch & Birch, LLP					2/fulla "	⁺ 32 868
P.O. Box 747				ŞIÇNAT	URE	<i>U</i> -	
Falls Church, VA	22040-0747			<i>-</i>			
(703)205-8000			-		HY, G	ERALD M., Л	<u>R.</u>
				NAME			
				#28,97	7		
						NUMBER	
/GMM/sas Nov 19 1999							

PTO/PCT Rec'd 14 FEB 2000

09/424080 **SMALL ENTITY DECLARATION**

	APPLICANT OR PATENTEE ZAV	IALOV, Vladim	ir, et al.	
	SERIAL NO. PCT/FI98/00418	_ D PATENT NO	ATTORNEY'S DOCKET NO.	933-149P
k on	e 09/424,080 1. ☐ FILED OR ISSUED			
cks .)	2. O SUBMITTED HEREWITH			
,	FOR "COmpositions for Enhance			al Activities"
		(Ins	ort Title)	
	I(we) hereby declare that I(we) am identified application or patent for Patent and Trademark Office.	(are) entitled to the or purposes of payi	penefit of small entity status ng reduced fees under 35 U	with respect to the above- ISC 41(a) & (b) to the U.S.
	A INDEPENDENT INVENTOR I(we) qualify as (an) indepe	ndent inventor(s) a	s defined in 37 CFR 1.9(c).	
	☐ B. INDIVIDUAL NON-INVENTOR I would qualify as an independent of the property of the propert	endent inventor as	defined in 37 CFR 1.9(c) if I	had made the invention.
	☐ C. SMALL BUSINESS CONCERN I am ☐ THE OWNER ☐ AN OFFI to act on behalf of the concern. The contract or law have been conveye is placed here ☐. All other rights	e concern qualifies u ed to and remain wi	nder 37 CFR 1.9(d) and 13 C th the concern and are excl	CFR 121.3-18. Rights under usive unless a checkmark
	☐ D. NON-PROFIT ORGANIZATION I am an official empowered to zation qualifies under 37 CFR 1.9(been conveyed to and remain wit ☐. All other rights belong to sma	e), sub-section: 🗆 (? h the organization	l) 🗌 (2) 🔲 (3) 🗋 (4). Rights u and are exclusive unless a c	ınder contract or law have
	I(we) acknowledge the duty to file, in loss of entitlement to small entifiee or any maintenance fee due at (37 CFR 1.28(b)).	in this application of ty status prior to pa fter the date on wh	or patent, notification of any ying, or at the time of payin ich status as a small entity	change in status resulting g, the earliest of the issue is no longer appropriate.
	I(we) declare under penalty of pe is true and correct.	rjury under the law	s of the United States of A	merica that the foregoing
,	A INDEPENDENT INVENTOR(S) B IN	IDIVIDHAL NANJAWEN	TORICI	
·		Son Maria		14.61.2000
i	KIRPICHNIKOV, Mikhail Name	Signature		Date
ľ	NAVOLOTSKAYA, Elena	14		
5		nou	<u> </u>	14012000
1	Name	Signature	Corpeler	Date
	KORPELA, Timo	ER FEEL GERMANNE MANNE M	eyeur	14,01,00
1	Name	Signature	A ANDREAS OF COURSE A CONTROL OF COURSE OF COU	Date
C	C. BUSINESS CONCERN D NON-PRO	OFIT ORGANIZATION		
Ī	Name of Concern or Organization	Actività della Civino se vivilia di la Maria Uni processo di la manda di la manda di la manda di la manda di l	Address	en anno anno anno e de anterior de el cultir de dels anno a procurso, y, dependente an e e
E	Name of Person Signing		Claustona	
	reame or retson signing		Signature	
=				
7	Title		Date	

Rev. #1. March 1991

SMALL ENTITY DECLARATION

09/424080

	APPLICANT OR PATENTEE	ZAVIALO	OV, Vladimi	, et al.		
-l	SERIAL NO. PCT/FI98/0 09/424,08 1. In Filed on Issued	00418	[] PATENT NO		ATTORNEY'SDOCKET NO	933-149P
ck on cks	1. [] FILED OR ISSUED					
2.)	2. SUBMITTED HEREWITH					
	FOR "Compositions	for Enhand	cing Immunosu	opressants' Ph (Insert Title)	armaceutica	l Activities"
				(mastrine)		
	I(we) hereby declare i identified application Patent and Trademan	n or patent to	n(are) entitled to to or purposes of p	he benefit of smal aying reduced fee	l entity status w s under 35 US	rith respect to the above- C 41(a) & (b) to the U.S.
	□ A. INDEPENDENT IN I(we) qualify as	ventor s (an) indepe	endent inventor(s) as defined in 3	7 CFR 1.9(c).	
	☐ B. INDIVIDUAL NON-I I would qualify	INVENTOR as an indep	endent inventor	as defined in 37 (CFR 1.9(c) if I h	ad made the invention.
	to act on behalf of the	IER AN OFFI CONCERN. The Deen CONVEYE	e concern qualific ed to and remain	es under 37 CFR 1 with the concern	.9(d) and 13 CFI and are exclus	ow and am empowered R 121.3-18. Rights under ive unless a checkmark 9.
	zauon qualines unde:	mpowered to r 37 CFR 1.9(d remain wit	e), sub-section: t th the organization	」(1) □ (2) □ (3) □ on and are exclus	l (4). Rights und ive unless a ch	ified below. The organi- der contract or law have eckmark is placed here
i	ui ioss of entitiement	to small enti	ty status prior to	paying, or at the t	ime of paving	nange in status resulting the earliest of the issue no longer appropriate.
] j	(we) declare under parties true and correct.	enalty of pe	rjury under the	laws of the United	d States of Am	erica that the foregoing
,	A. INDEPENDENT INVEN	ITOR(S) B IN	IDIVIDUAL NON-INV	(ENTOR(S)		
	ZAVIALOV, Vlac			leeno	P	110,01 200
ī	Name	3.1111.1	Signature	let on		14.01.2000 Date
	VASILENKO, Ra:	isa	11	-		14.01, 2000
-	Vame		Signature			Date
	DOLGIKH, Dmit	ry		V .		
-			Signature	BORTELY		14.01.2000
	C. BUSINESS CONCERN	D NON-PRO	•	N		Date
N	Name of Concern or Organiz	cation		Address		
В	y Name of Person Signing	· · · · · · · · · · · · · · · · · · ·				
	ivaitie of rerson Signing			Signature		
_						
T	itle		-		Date	

Rev. #1. March 1991

420 Rec'd PCT/PTO 1 9 NOV 1999

PATENT 933-149PCT

IN THE U.S. PATENT AND TRADEMARK OFFICE

Applicant:

ZAVIALOV, Vladimir Petrovich et al

Int'l. Appl. No.: PCT/FI98/00418

Appl. No.:

New

Group:

Unknown

Filed:

November 19, 1999 Examiner: Unknown

For: COMPOSITIONS FOR ENHANCING IMMUNOSUPPRESSANTS

PHARMACEUTICAL ACTIVITIES

PRELIMINARY AMENDMENT

BOX PATENT APPLICATION

Assistant Commissioner for Patents Washington, DC 20231

November 19, 1999

Sir:

The following Preliminary Amendments and Remarks are respectfully submitted in connection with the above-identified application.

AMENDMENTS

IN THE SPECIFICATION:

Please amend the specification as follows:

Before line 1, insert -- This application is the national phase under 35 U.S.C. § 371 of PCT International Application No. PCT/FI98/00418 which has an International filing date of May 18, 1998, which designated the United States of America. --

Ţ ā

GMM/sas

REMARKS

The specification has been amended to provide a crossreference to the previously filed International Application.

If necessary, the Commissioner is hereby authorized in this, concurrent, and future replies, to charge payment or credit any overpayment to Deposit Account No. 02-2448 for any additional fees required under 37 C.F.R. § 1.16 or under 37 C.F.R. § 1.17; particularly, extension of time fees.

Respectfully submitted,

BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747

Falls Church, VA 22040-0747

(703) 205-8000

(Rev. 03/30/99)

WO 98/52594

1

COMPOSITIONS FOR ENHANCING IMMUNOSUPPRESSANTS'
PHARMACEUTICAL ACTIVITIES

5 FIELD OF INVENTION

This invention is related to human or animal medicine and more specifically to improving the therapeutic effects of common immunosuppressive, anti-inflammatory and/or antiparasitic drugs where the effective ingredients contain cyclosporins, FK506 or rapamycin. This invention provides new compositions for efficient amplification of the activities of the said components to decrease their therapeutic dose to avoid their side effects.

BACKGROUND OF INVENTION

Cyclosporins are cyclic peptides composed of eleven amino acid residues which include previously unknown N-methylated amino acid residues. Cyclosporins are commercially important products isolated from the culture broths of the fungal species *Tolypocladium*. Cyclosporins are applied to prolong survival of allogenic transplants involving skin, kidney, pancreas, bone marrow, small intestine and lung. The efficacy of cyclosporins is presently known to be due to the specific and reversible inhibition of immunocompetent cells, primarily T-helper cells. Unfortunately, cyclosporins' systemic use have been associated with a high incidence of renal toxicity (kidney failure), some cases of hepatotoxicity, increased incidence of lymphoid tumors and increased incidence of opportunistic infections. The side effects of cyclosporins are so severe and so common that they limit their applications to life-threatening or severe sight-threatening diseases.

Cyclosporins, like FK506 and other related molecules, bind specifically to certain physiologically important molecular species in tissues and blood circulation (Denesyuk A. et al., 1993, Biochem. Biophys. Res. Commun. 197, pp. 1438-1442; Denesyuk A. et al., 1993, Biochem. Biophys. Res. Commun. 194, pp. 280-286; Denesyuk A. et al., 1993, Biochem. Biophys. Res. Commun. 192, pp. 912-917). After identification of cyclosporin

10

15

20

25

30

:

15

20

25

30

2

A, other cyclosporins, B, C, D, E, and G, containing minor differences in the molecular structure of cyclosporins have been reported. Many of these cyclosporins exhibit pharmaceutical utility related to cyclosporin A and the literature involves abundantly examples and suggestions for their use as therapeutic agents.

5

Cyclosporins were first proposed for be used as an antifungal agents, but their immunosuppressive action was found to be of more importance. Cyclosporins specifically and reversibly inhibit immunocompetent cells, primarily T-helper cells, by specific interactions with peptidyl-prolyl cis-trans isomerase (PPIase; see, Schreiber S. and Crabtree G., 1992, Immunol. Today 13, pp. 136-142; Zav'yalov V. et al., 1995, Acta Pathol, Microbiol. Immunol. Scand. 103, pp. 401-415). These multifunctional PPlase proteins may also serve as ATP-independent molecular chaperones facilitating the folding of target proteins and assembly of multisubunit protein complexes (Schmid F. et al., 1993, Adv. Protein Chem. 46, pp. 25-65), but their primary function is the binding of the immunosuppressive drugs cyclosporin A, FK506 and rapamycin. The PPIases with such activity were termed immunophilins (ImP's). These protein receptors fall into two major groups for their structure: the cyclosporin binding proteins, also termed cyclophilins (CyPs), and the FK506 binding proteins, termed FKBPs, some of the latter preferentially binding rapamycin (Trandini C. et al., 1992, FASEB J. 6, pp. 3410-3420; Liu J., 1993, Immunol. Today 14, pp. 290-295). It has been found that Ca2+ and calmodulin-dependent protein phosphatase, calcineurin (CaN), binds with high affinity to biologically active ImP-drug complexes. The experimental data suggest that the cytoplasmic NF-AT protein (NF-ATc) is a substrate, either direct or indirect, via a phosphatase cascade for CaN. NF-AT is a complex protein made of at least two subunits. One subunit of NF-AT (NF-ATp), a DNA-binding phosphoprotein, is a substrate for CaN in vitro and interacts with Fos and Jun proteins in the nucleus of activated T cells (Jain J. et al., 1993, Nature 365, pp. 352-355). Dephosphorylation by CaN might directly induce nuclear translocation of NF-ATc. The active form of this protein interacts with functional sequences within the IL-2 enhancer. According to a hypothesis, the complexes cyclosporin A-CyP or FK506-FKBP-12 block nuclear translocation of NF-ATc and activation of IL-2 gene expression due to the inhibition of CaN activity.

٠.,٠٠٠

5

10

15

20

25

30

Cyclosporins' immunosuppressive properties have led to their wide routine usage in immune system-related diseases, as described, for example, in Finnish patent publication 900604. Correspondingly, the number of patents for these purposes on various aspects of cyclosporins is large. In addition, eye medicine has benefited from cyclosporins. The U.S. Patent No. 4, 649, 047 describes a method for the treatment of phacoanaphylactic endophthalmitis and uveitis in the anterior or posterior segment of an eye wherein cyclosporin is topically administered to the eye. In other ophthalmic applications, cyclosporin has been used topically only for the treatment of external (e.g., corneal) eye diseases. BenEzra et al., 1986, Amer. J. Ophthimol. 101, pp. 278-282 described the effect of 2% cyclosporin eyedrops on severe vernal keratoconjuctivitis which is a seasonal allergic disorder unrelated to tear deficiency, Hunter et al., 1981, Clin. Exp. Immunol. 45, pp. 173-177 described the topical administration of cyclosporin in a rabbit model of corneal graft rejection with positive results. Boisjoly et al., 1984, Arch. Ophthalmol. 102, pp. 1804-1807 reported that topical application of cyclosporin had a beneficial prophylactic effect towards the treatment of severe herpetic stromal keratitis. Mosteller ct al., 1984, Investigative Ophthalmol. Supp. 25, pp. 3-38 treated corneal allograft rejection in rabbits by applying a single dose of a 10% cyclosporin A oinment in the lower culdesac of the eyelids. Cyclosporins have also been used systemically in other ophthalmic applications, where the disease being treated is not limited to the eye surface. For example, Nussenblatt et al., 1983, Amer. J. Ophthalmol. 96, pp. 275-282 reported clinical improvement in some patients with noninfectious posterior uveitis following systemic treatment with cyclosporin.

Cyclosporins are primarily administered orally or by injection. Unfortunately, cyclosporins used systemically have been associated with a high incidence of renal toxicity (kidney failure), some cases of hepatotoxicity, increased incidence of lymphoid tumors and increased incidence of opportunistic infections. Cyclosporin are only slightly less toxic than other immunosuppressive agents such as cytoxan or aziothioprine. The systemic side effects of cyclosporins are so severe and so common that they limit cyclosporins use to life-threatening or in some cases severe sight-threatening diseases.

ί

4

As described in U.S. Patent No. 4, 117, 118 1978 (Harri et al.), cyclosporin is readily soluble in most of the usual organic solvents and practically insoluble in petroleum ether and water. Poor solubility of cyclosporins makes absorption in intestine with oral administration as well as actions in intravenous applications variable from patient to patient. If rather high and constant level of cyclosporins are required in the blood circulation, administration of cyclosporins is complex. As distributed by Sandoz Ltd. under the tradename Sandimmune, cyclosporin for oral administration is dissolved in olive oil for further dilution with food and in polyoxyethylated castor oil and ethanol for intravenous injection. The release of cyclosporins from the carrier substances is patient-dependent where either the dose is not therapeutically effective or it is toxic. As stated, prolonged systemic administration of cyclosporins associated with transplantation and related uses creates risks for other diseases including cancers. To be able to use considerably lower than toxic level of effective cyclosporin doses is therefore of key importance.

15

10

5

Recently, the attention was brought to the long-neglected role of type I interferons (IFN-a,b,w,t) in the modulation of immune response (Belardelli F. and Gresser I., 1996, Immunol. Today 17, pp. 369-372). The immunomodulating activity of IFN-a,b,w,t is very complex and includes:

20

- -inhibition of lymphocyte proliferation after stimulation with lectins or allogenic cells;
- -prolongation of skin grafts;
- -inhibition of delayed type of hypersensitivity;
- -differentiation towards a Th1 type of immune response;
- 25 -stimulation in vivo of long-lived antigen-specific memory CD8+ cell cytotoxicity;
 - -inhibition of suppressor T cells;
 - -enhancement of natural killer (NK) cell cytotoxicity;
 - -enhancement of major histocompatibility complex (MHC) class I antigens expression.
- First three immunomodulating properties of type I IFNs (inhibition of lymphocyte proliferation after stimulation with lectins or allogenic cells, prolongation of skin grafts, and inhibition of delayed type of hypersensitivity) are useful for amplification of

10

15

20

25

30

immunosuppressants' (cyclosporins, FK506 and rapamycin) activity. But other immunomodulating properties of type I IFNs (differentiation towards a Th1 type of immune response; stimulation in vivo of long-lived antigen-specific memory CD8+ cell cytotoxicity; inhibition of suppressor T cells; enhancement of NK cell cytotoxicity; enhancement of MHC class I antigens expression) can induce an opposite effect. Indeed, it was observed that a monoclonal antibody directed against the extracellular domain of the human (h)IFN-a receptor, which inhibits both the binding and biological activity of all the type I IFNs tested, exerted a dose-dependent inhibition of the mixed lymphocyte reaction and induced permanent survival of skin allografts in MHC-divergent Cynomologus monkeys treated with a subeffective dose of cyclosporin A (Tovey, M.G. et al, 1996, J. Leukocyte Biol. 59, pp. 512-517).

In the present invention we suprisingly observed that the physiological effects of immunosuppressants (cyclosporins, FK506 and raparrycin) can be dramatically increased by the simultaneous administration of any one of the immunosuppressants and the peptide corresponding to the high-affinity binding/anti-lymphoproliferative site of IFN-a or the recombinant protein having the amino acid sequence corresponding to the said site. Peptides are specially favourable additives since they do not cause harmful symptoms and the acitivity quenching due to the generation of antibodies against larger polypeptides such as natural interferons.

Long time ago there was discovered the primary structure homology of hIFNs-a/b and thymus hormone - thymosin a₁ (TMa₁) (Zav'yalov V. and Denesyuk A., 1984, Doklady Akademii Nauk SSSR 275, pp. 242-246). Comparison of the primary structures of proTMa and hIFNs-a/b reveals a homology of the prohormone with the IFNs' sites making up the C-terminal helices D and E, however, the highest homology is observed for the C-terminal part of helix D and the N-terminal part of loop DE (Zav'yalov V. et al., 1989, Immun. Lett. 22, pp. 173-182; Zav'yalov V. et al., 1990, Biochim. Biophys. Acta 1041, pp.178-185). One of the synthesized peptides (a-peptoferon) overlapping the TMa₁-like sequence of hIFN-a₂, effectively competed with hIFN-a₂, TMa₁, proTMa for common receptors on mouse thymocytes (i.e. the K₁ of recombinant (r)hIFN-a₂ binding by a-peptoferon is equal to about 10⁻¹² M) (Zav'yalov V. et al., 1991, FEBS Lett. 278,

5

10

15

20

pp. 187-189; Zav'yalov V. et al., 1995, Molec. Immun. 32, pp. 425-431). Recently the first example of successful grafting of hIFN-a2's TMat-like site to the design de novo protein albeferon was described (Dolgikh D. et al., 1996, Protein Engin. 9, pp. 195-201). The IFN-a2 fragment corresponded to the TMa₁-like sequence 130-137 was inserted into the N-termini of an albebetin molecule just after the initiatory Met residue. The chimeric protein (albeferon) was expressed in a wheat germ cell-free translation system and tested for its compactness and stability. It has been shown that albeferon is practically as compact as natural proteins of corresponding molecular weight and possesses high stability toward the urea-induced unfolding. To testify the affinity of albeferon to murine thymocyte receptor, the protein inhibitory effect on the binding of radiolabeled [125I] apeptoferon to the receptors has been studied. The albeferon competitive inhibition coefficient (IC50) and the calculated inhibition constant (Ki) are very close to that of rhIFN-a2. It was demonstrated that cell surface binding characteristics correlate with consensus type I IFN enhanced anti-lymphoproliferative activity on the human periferal polymorphonuclear cells (Klein S. et al., 1996, J. Interferon and Cytokine Res. 16, pp. 1-6; Dhib-Jalbut S. et al., 1996, J. Interferon and Cytokine Res. 16, pp. 195-200).

The present invention includes the compositions for efficient amplification of immunosuppressive activity of cyclosporins, FK506 or rapamycin by peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of IFNs-a,b,w,t or recombinant proteins having the amino acid sequences corresponding to the said site to decrease therapeutic dose of the both groups of compounds, and as the consequence to avoid their undesirable side effects during organ and tissue transplantation, and treatment of different diseases.

25

30

SUMMARY OF THE INVENTION

The present invention provides the compositions for efficient amplification of immunosuppressive activity of cyclosporins, FK506 or rapamycin to decrease therapeutical dose of immunosuppressants, and as the consequence to avoid their

undesirable side effects during organ and tissue transplantation, and treatment of different diseases.

These compositions include cyclosporins, FK506 or rapamycin and biologically active peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of IFNs-a,b,w,t, or recombinant proteins having the amino acid sequences corresponding to the said site.

BRIEF DESCRIPTION OF THE DRAWINGS

10

5

FIG. 1 Effect of rhIFN-a2 and of the peptide corresponding to the high-affinity binding/anti-lymphoproliferative site of hIFN-a2 (a-peptoferon) on mitogen (PHA)-driven proliferation of human peripheral polymorphonuclear cells.

15 FIG. 2 Effect of rhIFN-a2 and of the peptide corresponding to the high-affinity binding/anti-lymphoproliferative site of hIFN-a2 (a-peptoferon) on the proliferation of an IFN-sensitive human T-lymphoblastoid cell line MT-4.

FIG. 3 Effect of rhIFN-a2, albeferon and albebetin on mitogen (PHA)-driven proliferation of human peripheral polymorphonuclear cells.

- FIG. 4 Effect of rhIFN-a2, albeferon and albebetin on the proliferation of an IFN-sensitive human T-lymphoblastoid cell line MT-4.
- FIG. 5 Effect of rhIFN-a2 and of the peptide corresponding to the high-affinity binding/anti-lymphoproliferative site of hIFN-a2 (a-peptoferon) on mitogen (PHA)-driven proliferation of human peripheral polymorphonuclear cells in the presence of 20 mM cyclosporin A in cultural medium.
- FIG. 6 Effect of albeferon on mitogen (PHA)-driven proliferation of human pempheral polymorphonuclear cells in the presence of 10 mM cyclosporin A in cultural medium.

DETAILED DESCRIPTION OF THE INVENTION

Cyclosporins, FK506 and rapamycin are widely used commercially important drugs for treatment of various diseases of human and higher animals. However, the use of these drugs have severe drawbacks for their toxicity and narrow effective dose range. This forms the basis of either developing other more effective and less toxic related drugs or increasing their activity by other ingredients. The latter has been attempted only by making drug formulations which provide either more effective absorption in intestine or prolonged delivery in intestine or in intravenous administration.

10

15

20

25

30

5

In this invention, there was surprisingly observed that certain favourable physiological effects of cyclosporins, FK506 and rapamycin on human cells can be amplified by biologically active peptides corresponding to the high-affinity binding/antilymphoproliferative site of IFNs-a,b,w,t or recombinant proteins having the amino acid sequences corresponding to the said site. The peptides and recombinant proteins mentioned above can be readily produced by widely available synthetic or recombinant techniques. The present invention provides definite improvement of compositions for drugs based on cyclosporins, FK506 or rapamycin aimed for human and higher animals. . These compositions include the immunomodulators and biologically active peptides corresponding to the high-affinity binding/anti-proliferative site of IFNs-a,b,w,t, or recombinant proteins having the amino acid sequences corresponding to the said site. Although all the potentially bioactive peptides or the recombinant proteins contaming the amino acid sequences of the peptides were not possible to test experimentally here with the immunomodulator drugs (cyclosporins, FK506 and rapamycin) such structures were revealed by extensive comparisons of available amino acid sequences of interferons from different species by computer and molecular modelling techniques taking into account the experimental data on the localisation of the high-affinity binding/anti-lymphoproliferative site of IFNs-a,b,w,t and the experimental data on the competition of type I IFNs for the common receptors. The peptides according to this invention have the advantage of not give rise to antibodies like large polypeptides and natural interferons and thus pepetides as such or bound to carrier molecules can be used for long periods.

10

15

20

In the previous studies (Zav'yalov V. et al., 1991, FEBS Lett. 278, pp. 187-189; Zav'yalov V. et al., 1995, Molec. Immun. 32, pp. 425-431) it was demonstrated that only octapeptide corresponding to the 130-137 amino acid residues of hIFN-a2 had the same or higher affinity to the specific receptors in comparison with recombinant hIFN-a2. It is well-known that all type I IFNs compete for the common receptors and can induce the common type I IFN activities. Therefore, it is reasonable to assume that in the process of natural selection the changes in the amino acid sequence of the high-affinity binding/antilymphoproliferative site of IFNs-a,b,w,t were selected not to abolish the biological activities of the site. Consequently, all type I natural and recombinant IFNs as well as peptides corresponding to their high-affinity binding/anti-lymphoproliferative site, and recombinant proteins having the amino acid sequences corresponding to the said site might reproduce the anti-proliferative activity and amplify immunosuppressive activity of cyclosporins.

For the testing of synergism of cyclosporin, FK506 or rapamycin and peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of IFNs-a,b,w,t or recombinant proteins having the amino acid sequences corresponding to the said site we employed the classic anti-lymphoproliferative test system with human peripheral polymorphonuclear cells and human T-lymphoblastoid cell line MT-4. The cell culture conditions and the conditions of the humoral cells in blood circulation are closely related In fact, in cell cultures, which are commonly used for testing of potential drugs, the conditions are strictly maintained similar to the blood circulation as to the temperature, pH, buffer, minerals, CO₂ and O₂ partial pressures and so on. On the other hand, in this special case the target cells of cyclosporins or the other immunosuppressants and the peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of IFNsa,b,w,t or recombinant proteins having the amino acid sequences corresponding to the said site being used as the drugs exist specifically in the blood circulation in very equal conditions to the cell cultures. Thus, it is highly predictable that the drug compositions of the present invention can be used as medical drugs for purposes previously used for immunosuppressants alone as the active ingredient in the drug formulations.

30

25

While the main experimental proof of the present invention lies on the use of peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of IFNs-a,b,w,t or

recombinant proteins having the amino acid sequences corresponding to the said site with cyclosporins, also FK506 and rapamycin can be applied with related amplification effect as with cyclosporins. Although the present invention describes effects of peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of IFNs-a,b,w,t or recombinant proteins having the amino acid sequences corresponding to the said site on immunosuppressants such as cyclosporins, FK506 and rapamycin, it is evident that the peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of IFNs-a,b,w,t or recombinant proteins having the amino acid sequences corresponding to the said site will increase equally well the activities of any other immunosuppressant.

10

15

20

25

30

5

Example 1.

Ninety five ml of blood were taken from each of 10 volunteer donors, and 5 ml of 3-5% EDTA were added to the blood immediately and mixed carefully to prevent coagulation. The blood was than mixed with the equal volume of medium 199 or with buffered physiological salt solution. Ficoll-Paque (Pharmacia) was poured into plastic centrifuge test-tubes with caps (Costar) (3 ml of Ficoll-Paque per each test-tube, volume of a testtube - 15 ml, diameter - 13 mm at room temperature, and then 6-7 ml of diluted blood were carefully layered on top). The test-tubes were centrifuged at 20 °C for 40 minutes, at 400 g, with the brake of centrifuge being switched off. The mononuclear cells formed a layer on the border of the liquid division and the cells were collected with a Pasteur pipette into a centrifuge test-tube with 5 ml of RPMI 1640, containing 2% of inactivated fetal serum and penicillin (100 units/ml) with streptomycin (100 units/ml). Then the cells were washed with physiological buffer solution (PBS) three times with centuifuging at 400 g for 5 minutes at the temperature of +8 °C. When the concentration of the cells was 2.5'106 cells/ml, they were placed in RPMI 1640 medium, containing 5% of fetal serum (heated for 30 minutes at 56 °C), 100 units/ml of penicillin, 100 units/ml of streptomycin, 1 ml 200 mM of L-glutamine per 100 ml of serum. All the reagents were produced by Gibco. The cells were dropped into a 96-well plate (100 ml per each plate) with mitogen phytohemagglutinin (PHA) (final concentration - 2 mg/ml), the preparations under study and immunosuppressants (cyclosporin A, FK506 or raparnycin) in concentration - 5-20

11

mM) were pipetted into the tubes beforehand. The plate was placed in a CO₂-incubator at 5% CO₂ with humid atmosphere for 72 hours. 12-18 hours before the completion of the incubation 1 mCi of [³H]-thymidine was added into each well. Then the cells were washed on a semiautomatic harvester (Titertec Flow Lab.) using filters (Whatman). Each filter was carefully transferred into bottles, containing 5 ml of scintillation liquid (Sigma). The number of disintegrations per minute was counted using a Minibeta counter (LKB). The stimulation index was determined by arithmetical mean of at least three parallel measurements ±SD to the corresponding control.

Fig. 1 displays, respectively, the effect of rhIFN-a2 and of the peptide corresponding to the high-affinity binding/anti-lymphoproliferative site of hIFN-a2 (a-peptoferon) on mitogen (PHA)-driven proliferation of human peripheral polymorphonuclear cells. PHA induced strong lymphoproliferative response that was inhibited by rhIFN-a2 and a-peptoferon in a dose-dependent fashion. rhIFN-a2 and a-peptoferon demonstrated comparable effects. rhIFN-g had either no effect or a minimal enhancing effect on the lymphoproliferative response. (1) rhIFN-a2; (2) a-peptoferon; (3) control: PHA; (4) control: cultural medium.

Example 2.

Fig. 2 shows the effect of rhIFN-a2 and of the peptide corresponding to the high-affinity binding/anti-lymphoproliferative site of hIFN-a2 (a-peptoferon) on the proliferation of an IFN-sensitive human T-lymphoblastoid cell line MT-4. The proliferation of human T-lymphoblastoid cell line MT-4 was inhibited by rhIFN-a2 and a-peptoferon in a dose-dependent fashion. rhIFN-a2 and a-peptoferon demonstrated comparable effects. Similar methods as in Example 1 were employed (1) rhIFN-a2; (2) a-peptoferon.

Example 3.

30

Fig. 3 displays the effect of rhIFN-a2 and the designed de novo chimeric protein albeferon containing the TMa₁-like sequence 130-137 of the hIFN-a2 inserted into the N-termini of the protein just after the initiatory Met residue (2), and the designed de novo protein albebetin without the hIFN-a2 fragment (3) on PHA-driven proliferation of human peripheral polymorphonuclear cells. PHA induced strong lymphoproliferative response

that was inhibited by rhIFN-a2 and albeferon in a dose-dependent fashion. rhIFN-a2 and albeferon demonstrated comparable effects. Albebetin had no effect on the lymphoproliferative response. The results show that the hIFN-a2 fragment corresponded to the TMa₁-like sequence 130-137 is responsible for the anti-lymphoproliferative effect of rhIFN-a2. Similar methods as in Example 1 were employed. (1) rhIFN-a2; (2) albeferon; (3) albebetin; (4) control: cultural medium; (5) control: PHA

Example 4.

5

10

15

Fig. 4 demonstrates the effect of rhIFN-a2, albeferon and albebetin on the proliferation of an IFN-sensitive human T-lymphoblastoid cell line MT-4. The proliferation of human T-lymphoblastoid cell line MT-4 was inhibited by rhIFN-a2 and albeferon in a dose-dependent fashion. In this experiment albeferon had higher activity than the sample of rhIFN-a2 used but comparable with other data on rhIFN-a2 (see Figs. 1-2 and the data described in: Dhib-Jalbur S. et al., 1996, J. Interferon and Cytokine Res. 16, pp. 195-200). Albebetin had no effect on the lymphoproliferative response. The results show that the hIFN-a2 fragment corresponded to the TMa₁-like sequence 130-137 is responsible for the anti-lymphoproliferative effect of rhIFN-a2. (1) rhIFN-a2; (2) albeferon; (3) albebetin.

Example 5.

20 Fig. 5 displays the effect of rhIFN-a2 on PHA-driven proliferation of human peripheral polymorphonuclear cells in the presence of 20 mM cyclosporin A (CsA) in cultural medium. PHA induced strong lymphoproliferative response. The selected concentration of CsA had enhancing effect on the lymphoproliferative response. The administration of extremely low amount of rhIFN-a2 (10⁻¹⁶ M) totally abolished lymphoproliferative 25 response induced by PHA. The comparable effect on mitogen-driven proliferation of peripheral blood human T-lymphocytes in the presence of 20 mM CsA in cultural medium was observed for the octapeptide corresponding to the high-affinity binding/antilymphoproliferative site of hIFN-a2 (a-peptoferon). The results demonstrate strong synergism of anti-lymphoproliferative action of CsA and rhIFN-a2 or the peptide 30 corresponding to the high-affinity binding/anti-lymphoproliferanve site of hIFN-a2 (apeptoferon). Related results were obtained with 1-50 mM concentration of FK506 or rapamycin instead of cyclosporin A. Similar methods as in Example 1 were employed. (1)

rhIFN-a2 and 20 mM CsA; (2) a-peptoferon and 20 mM CsA; (3) control: cultural medium; (4) control: 20 mM CsA; (5) control: PHA; (6) control: 20 mM CsA and PHA.

Example 6.

5

10

15

Fig. 6 displays the effect of albeferon on PHA-driven proliferation of human peripheral polymorphonuclear cells in the presence of 10 mM cyclosporin A (CsA) in cultural medium. PHA induced strong lymphoproliferative response. The selected concentration of CsA had enhancing effect on the lymphoproliferative response. The administration of extremely low amount of albeferon (10⁻¹² M) totally abolished lymphoproliferative response induced by PHA. Related results were obtained with 1-50 mM concentration of FK506 or rapamycin instead of cyclosporin A. Fig. 6 also shows that the octapeptide corresponding to the high-affinity binding/anti-lymphoproliferative site of hIFN-a2 (a-peptoferon) which was genetically immobilized on the macromolecular carrier (i.e. on the de novo protein albebetin) is biologically active. Similar methods as in Example 1 were employed. (1) albeferon; (2) albeferon and 10 mM CsA; (3) control: cultural medium; (4) control: PHA; (5) control: PHA and 10 mM CsA.

20

25

A434

5

Claims

1. Any drug composition consisting of immunosuppressants cyclosporins, FK506, or rapamycin and the bioactive peptides corresponding to the high-affinity binding/antilymphoproliferative site of interferons a,b,w,t, or recombinant proteins carrying one or more of the sequences corresponding to the structures of the bioactive peptides corresponding to the high-affinity binding/anti-lymphoproliferative site of the said interferons for the aim of amplification of immunosuppressants' activities to decrease their therapeutic dose, and as the consequence to avoid their undesirable side effects during organ and tissue transplantation or during treatment of cancers such as lymphomas, leukemias, myelomas, adenocarcinomas, autoimmune and chronic inflammatory diseases, such as rheumatoid arthritis, myasthenia gravis, lupus erythematosis, uveitis, hyperproliferative diseases, such as psoriasis vulgaris, wherein cyclosporins, FK506 or rapamycin can be exploited.

15

10

2. Compositions according to Claim 1 consisting of immunosuppressants cyclosporins, FK506 or rapamycin with one or more of the peptides containing at least 5 identical amino acid residues in the following table:

L	T	Е	K	K	Y	S	P
	R	R	R	R	Н	R	R
	Q	D	N	D		D	D
	M	L	M	N		N	L
		I	S	S		S	
	Е	A	Е			A	
	G	I					

20

25

wherein,

each amino acid residue in the top sequence can be modified with any of the amino acid residues under it.

APT 34

5

10

3. Compositions according to Claim 1 consisting of immunosuppressants cyclosporins, FK506 or rapamycin, and recombinant proteins carrying one or more of the sequences corresponding to the peptide variation of Claim 2.

4. Compositions according to Claim 2 consisting of immunosuppressants cyclosporins, FK506 and rapamycin, and the bioactive peptides wherein the active peptides are genetically or chemically modified or genetically or chemically or physically bound to a small-molecular or macromolecular substance for the aim of increasing the stabilities of the peptides in physiological conditions or for regulating the bioavailability of the said peptides.




Fig.1




Fig.Z




Fig.3




Fig.4

PCT/F198/00418




Fig.5




Fig. 6

Attorney Docket No.

933-149P

BIRCH, STEWART, KOLASCH & BIRCH, LLP

PLEASE NOTE: YOU MUST COMPLETE THE FOLLOWING P.O. Box 747 • Falls Church, Virginia 22040-0747 Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

COMBINED DECLARATION AND POWER OF ATTORNEY FOR PATENT AND DESIGN APPLICATIONS

As a below named inventor, I hereby declare that: my residence, post office address and citizenship are as stated next to my name; that I verily believe that I am the original, first and sole inventor (if only one inventor is named below) or an original, first and joint inventor (if plural inventors are named below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

Insert Title:	"Compositions	for Enhan	ncing Immunosup	oressants' Pharma	aceutical Acti	LV1t1	Les"
Fill in Appropriate	the specification of w	hich is attached h	nereto. If not attached he	reto,			
Information -	the specification	was filed on	OH				as
For Use Without Specification	and amended or	ppication Numb	er		(if app	licable)	l and/or
Attached:	the specification	was filed on _ N	May 18, 1998				_ as PCT
	International Ap	plication Number	er <u>PCT</u>	/FT98/00418		زـــــز	and was
	amended under	PCT Article 19 o	n	/FT98/00418		_ (if ap	plicable)
Issuet Priority Information: (if appropriate)	I hereby state the amended by any ame I acknowledge Regulations, §1.56. I do not know at thereof, or patented by any prior to this application to this application to the part of the par	at I have review indiment referred the duty to disc and do not believe or described in a blication, that the on, that the inve ion in any cour igns more than the retificate on this my legal represenceign priority be the listed below ar at of the application.	ed and understand the obove. lose information which the the same was ever known by printed publication is same was not in publication has not been patentry foreign to the Unitwelve months (six mon invention has been filed natives or assigns, except enefits under Title 35, Und have also identified beginn on which priority is a MND	is material to patentability on or used in the United Sta n any country before my of the use or on sale in the Unit the or made the subject of the States of America on this for designs) prior to the l in any country foreign to that so follows. nited States Code, §119(a)-(elow any foreign application	as defined in Title 3 tes of America before our invention there ed States of America an inventor's certifica an application, and tha the United States of A d) of any foreign appl n for patent or invento Pri ed)	my or of or n more the issue by me at no a America lication r's cert	de of Federal our inventior nore than one than one year led before the or my legal pplication for a prior to this
100 (100) 10 (100)	(Number)	(Country)		(Month/Day/Year Fil	ed)	∐ Yes	No
	,	` ,,				П	
i i	(Number)	(Country)	·············	(Month/Day/Year Fil	ed)	Yes	No
	,			119(e) of any United States	provisional application	ns(s) lis	sted below.
Insert Provisional Application(s): (if any)	(Application Number	r)	· ·	(Filing Date)			
	(Application Number	r)		(Filing Date)			
	All Foreign Applicati the Filing Date of Thi		ny Patent or Inventor's (Certificate Filed More than	12 Months (6 Months	for De	signs) Prior to
	Country		Application Number	Date of	Filing (Month/Day/Y	ear)	
Insert Requested Information: (if appropriate)							
	insofar as the subject application in the ma information which is	ct matter of each inner provided b material to the r	h of the claims of this by the first paragraph of catentability as defined i	§120 of any United States ar application is not disclosed Litle 35, United States Code in Title 37, Code of Federal International filing	1 in the prior United , §112, I acknowledge Regulations, §1.56 wh	States the di ich bec	and/or PC
Insert Prior U.S. Application(s): (if any)	(Application Numbe	r)	(Filing Date)	(Status	- patented, pending, a	bandor	ned)
Page 1 of 2	(Application Numbe	r)	(Filing Date)	(Status	- patented, pending, a	bandor	ned)

Ÿ.	P.00
Full Name of Sixth Inventor, if any:	GIV
see above	m÷.

Full Name of Sixth Inventor, if any: see above	GIVEN NAME/FAMILY NAME Timo KORPELA	inventor's SIGNATURE	2	14.01,00
	Residence (City, State & Country) Turku, Finland + 1 POST OFFICE ADDRESS (Complete Street Addre		CITIZENSHIP Finr	
	Kasarminkatu 5 as. 8, FIN-205			
Full Name of Seventh Inventor, if any: see above	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
	Residence (City, State & Country)		CITIZENSHIP)
	POST OFFICE ADDRESS (Complete Street Addre	ess including City, State & Country)		
Full Name of Eighth Inventor, if any: see above	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
	Residence (City, State & Country)		CITIZENSHIF	
(i)	POST OFFICE ADDRESS (Complete Street Addre	ess including City, State & Country)		
Full Name of Ninth Inventor, Trany: see above	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
forth first in the state of the	Residence (City, State & Country)		CITIZENSHII	P
	POST OFFICE ADDRESS (Complete Street Address)	ess including City, State & Country)		
Full Name of Tenth Inventor if any: see above	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
10. H 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	Residence (City, State & Country)		CITIZENSHII	?
	POST OFFICE ADDRESS (Complete Street Addr	ess including City, State & Country)		
Full Name of Eleventh Inventor, if any: see above	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
	Residence (City, State & Country)		CITIZENSHII	P
	POST OFFICE ADDRESS (Complete Street Addr	ress including City, State & Country)		
Fuil Name of Twelfth Inventor, if any: see above	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
	Residence (City, State & Country)		CITIZENSHI	P
	POST OFFICE ADDRESS (Complete Street Addr	ress including City, State & Country)	

Page 3 of 3 (Revised 11-98)

^{*}DATE OF SIGNATURE

I hereby appoint the following attorneys to prosecute this application and/or an international application based on this application and to transact all business in the Patent and Trademark Office connected therewith and in connection with the resulting patent based on instructions received from the entity who first sent the application papers to the attorneys identified below, unless the inventor(s) or assignee provides said attorneys with a written notice to the contrary:



Raymond C. Stewart	(Reg. No. 21,066)	Terrell C. Birch	(Reg. No. 19,382)
Joseph A. Kolasch	(Reg. No. 22,463)	James M. Slattery	(Reg. No. 28,380)
Bernard L. Sweeney	(Reg. No. 24,448)	Michael K. Mutter	(Reg. No. 29,680)
Charles Gorenstein	(Reg. No. 29,271)	Gerald M. Murphy, Jr.	(Reg. No. 28,977)
Leonard R. Svensson	(Reg. No. 30,330)	Terry L. Clark	(Reg. N <u>o. 32,644</u>)
Andrew D. Meikle	(Reg. No. 32,868)	Marc S. Weiner	(Reg. No. 32,181)
Joe McKinney Muncy	(Reg. No. 32,334)	C. Joseph Faraci	(Reg. No. 32,350)
Donald I. Daley	(Reg. No. 34,313)	John W. Bailey	(Reg. No. 32,881)
John A. Castellano	(Reg. No. 35,094)		

Send Correspondence to:

BIRCH, STEWART, KOLASCH & BIRCH, LLP

P.O. Box 747 • Falls Church, Virginia 22040-0747 Telephone: (703) 205-8000 • Facsimile: (703) 205-8050

PLEASE NOTE: YOU MUST COMPLETE THE FOLLOWING:

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

12	<i>]</i>			
l Name of First or Sole Inventor:	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
ert Name of nventor → ert Date This	Vladimir ZAVIALOV	falle	-6	14.01.2800
Document is Signed	Residence (City, State & Country)		CITIZENSHII	
er Nestucine eri Citizenship →	Moscow Region, Lyubuchany, Ru		Russia	an
erPost Office	POST OFFICE ADDRESS (Complete Street Addre Flat 12, Zavodskaya Street 10 Moscow Region, Lyubuchany 142	, Chekhov District		
lf Name of Second	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		DATE*
see above	Raisa VASILENKO			14.01.2000
	Residence (City, State & Country)	70	CITIZENSHII	2
2 2 200 3 200 3 200	Moscow Region, Lyubuchany, Ru		Russi	an
	POST OFFICE ADDRESS (Complete Street Addre Flat 49, Zavodskaya Street 4,	Chekhov District		
= - 12	Moscow Region, Lyubuchany 142	380. Russia		DATE*
History of Third 3	GIVEN NAME/FAMILY NAME	INVENTOR'S SIGNATURE		
see above	Dmitry DOLGIKH	Christ Church	,	14.01.2000
	Residence (City, State & Country)		CITIZENSHI	2
	Moscow, Russia RVX		Russi	an
	POST OFFICE ADDRESS (Complete Street Addr Flat 445, Bolshaya Serpukhovs	ess including City, State & Country) kaya Street 46, corpu	s 46	
uli Name of Fourth	Moscow 113093, Russia GIVEN NAME/FAMILY NAME	INVENTORIS SIGNATURE		DATE*
an imme or courts	GIVEN NAME/ PAMILLI NAME			
Inventor, if any:	Mikhail KTRPTCHNTKOV	Shy		14.01.2000
	Mikhail KIRPICHNIKOV Residence (City, State & Country)	Shy	CITIZENSHI	<u> </u>
	Residence (City, State & Country)	Styl	CITIZENSHI Russi	P
	Residence (City, State & Country)	ress including City, State & Country	Russi	P
	Residence (City, State & Country) MOSCOWA RUSSIA		Russi	p an
see above	Residence (City, State & Country) MOSCOW, Russia POST OFFICE ADDRESS (Complete Street Address to Flat 52, Tverskaya Street 15,		Russi	p an DATE*
see above	Residence (City, State & Country) MOSCOW, Russia POST OFFICE ADDRESS (Complete Street Address to Flat 52, Tverskaya Street 15,	Moscow 113000, Russi	Russi	p an DATE* 14.01.28 & 2
ull Name of Fifth Inventor, if any:	Residence (City, State & Country) MOSCOW, RUSSIA POST OFFICE ADDRESS (Complete Street Address 15, Tverskaya Street 15, GIVEN NAME/FAMILY NAME	Moscow 113000, Russi	Russi	p an DATE* 14.01.28 & 2
ull Name of Fifth Inventor, if any:	Residence (City, State & Country) MOSCOW, RUSSIA POST OFFICE ADDRESS (Complete Street Address of Flat 52, Tverskaya Street 15, GIVEN NAME/FAMILY NAME Elena NAVOLOTSKAYA Residence (City, State & Country) MOSCOW Region, Pushchino	Moscow 113000, Russi INVENTOR'S SIGNATURE LLAU VX	Russi a CITIZENSH Russi	DATE* 14.01.20 (20)
ull Name of Fifth Inventor, if any:	Residence (City, State & Country) MOSCOW, RUSSIA POST OFFICE ADDRESS (Complete Street Address of the Street	Moscow 113000, Russi INVENTOR'S SIGNATURE LLAU VX	Russi a CITIZENSH Russi	DATE* 14.01.20 (20)
ull Name of Fifth Inventor, if any:	Residence (City, State & Country) MOSCOW, RUSSIA POST OFFICE ADDRESS (Complete Street Address of Flat 52, Tverskaya Street 15, GIVEN NAME/FAMILY NAME Elena NAVOLOTSKAYA Residence (City, State & Country) MOSCOW Region, Pushchino	MOSCOW 113000, Russi INVENTOR'S SIGNATURE LLAU CVX ress including City, State & Country	Russi a CITIZENSH Russi	DATE* 14.01.20 (20)

Page 2 of 2 (Revised 11-98)

^{*}DATE OF SIGNATURE